



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES  
DIVISION OF ENVIRONMENTAL HEALTH  
CHILD CARE FACILITY  
INSPECTION REPORT**

REASON		GRADE  6    RATING  A	Inspection Date: 3/30/17		ESTABLISHMENT NAME: MARIA ARTERO CATHOLIC PRESCHOOL & KINDERGARTEN	
Regular	✓		Time In/Out: 2:25 PM   3:20 PM		OWNER/OPERATOR: MARIA ARTERO CATHOLIC PRESCHOOL & KINDERGARTEN	
Follow-Up					LOCATION: AGANA HEIGHTS	
Complaint			Sanitary Permit No.: 20000-		PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired	
Investigation						
Other:						
No. of Children: 11 Male 15 Female 26 Total			Child Care License No.: 150073 / ✓ Valid / / Provisional / / Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

[illegible]

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

**\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:**

Received By (Name &amp; Title):

DEH Inspector (Name & Title): Sr Anofia Adley, MMB, Kintekdy  
J-GARCA / EPTW / J-CWZ EPTW